



पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर (राज)

वेबसाईट: www.shekhauni.ac.in ई-मेल: registrar@shekhauni.ac.in

क्रमांक: 28413

दिनांक: 7-8-2025

ई- निविदा संख्या 27 / 2024-25

विश्वविद्यालय परिसर में रिकोर्डिंग स्टूडियो की स्थापना हेतु निविदा

Mode of Bid Submission	On Line (E-Tender)
Procuring Entity	Registrar Pandit Deendayal Upadhyaya Shekhawati University, Sikar 332024
Estimated Cost of Tender	22,50,000/-
Tender Start Date for On-line submission of Technical Bid	07-05-2025
Last date & Time of On-line submission of Technical Bid	16-05-2025 till 11.59 PM
Last date & time of submission of DD of EMD processing fee & Tender fee in office	16-05-2025 till 11.00 AM
Date & time of opening of On-Line Technical Bid	17-05-2025 at 03.00 PM

- Cost of E-Tender Document and fee in favour of Registrar, Pandit Deendayal Upadhyaya Shekhawati University, Sikar Rs. 2000/-
- EMD Bid security for the tender cost @ 2% i.e. Rs. 45,000/-
- E-Tender processing fee in favour of MD, RISL, Jaipur Rs. 500/-


Registrar
Pandit Deendayal Upadhyaya
Shekhawati University, Sikar

Name & Signature of Bidder with Seal



पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर (राज)

वेबसाइट: www.shekhauni.ac.in ई-मेल: registrar@shekhauni.ac.in

ई- निविदा संख्या 27 / 2024-25

(तकनीकी बिड़)

1. बोलीदाता/संवेदक का नाम, डाक का पता व टेलीफोन/मोबाईल नम्बर
.....
2. किसको सम्बोधित किया -कुलसचिव, पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर।
3. सन्दर्भ : आपकी ई-निविदा सूचना क्रमांक 27 / 2024-25 दिनांक 07.05.2025
4. हम कुलसचिव, पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर द्वारा जारी की गई निविदा सूचना दिनांक 07.05.2025 में वर्णित सभी शर्तों से तथा संलग्न शीट में दी गई उक्त ई-निविदा सूचना की अतिरिक्त शर्तों से बाध्य होना स्वीकार करते हैं। इनके सभी पृष्ठों पर उनमें उल्लेखित शर्तों को हमारे द्वारा स्वीकार किए जाने के प्रमाण में हमने हस्ताक्षर कर दिये हैं।
5. ब्लैक लिस्ट नहीं होने का शपथ -पत्र (100 रुपये के नॉनजुडिशियल स्टाम्प पर)
6. बैंक ड्राफ्ट/बैंकर्स चैक संख्यादिनांक.....
.....(जारी कर्ता बैंक का नाम) रुपये 45,000/-के लिए अमानत राशि के पेटे संलग्न है। जो कुलसचिव, पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर को देय हो।
7. बैंक ड्राफ्ट सं0दिनांकराशि 2000/-
.....(जारी कर्ता बैंक का नाम) जो कुलसचिव, पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर को देय हो (निविदा शुल्क के पेटे संलग्न)
8. बैंक ड्राफ्ट सं0दिनांकराशि 500/-.....
..... (जारी कर्ता बैंक का नाम) जो MD RISL, Jaipur को देय हो वास्ते (प्रोसेसिंग फीस के पेटे संलग्न)

निविदादाता के हस्ताक्षर

N



पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर (राज)

वेबसाइट: www.shekhauni.ac.in ई-मेल: registrar@shekhauni.ac.in

क्रमांक:

दिनांक:

ई-निविदा क्रमांक- 27 / 2024-2025

विश्वविद्यालय परिसर में रिकोर्डिंग स्टूडियो की स्थापना हेतु निविदा
हेतु ई-निविदा प्रपत्र-वित्तीय बिड


1. निविदादाता/फर्म का नाम :
2. निविदादाता का पता :
.....
.....
3. मोबाईल / दूरभाष न. :
4. सेवा का प्रकार : रिकोर्डिंग स्टूडियो की स्थापना

पण्डित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर द्वारा जारी ई-निविदा क्रमांक - 27 / 2024-2025 के सम्बन्ध में जारी जरूरी नियम एवं शर्तों के साथ बाध्य होना स्वीकार करने के साथ उक्त कार्य करने हेतु निम्नलिखित दरें प्रस्तुत करता हूँ:

क.स.	कार्य की प्रकृति	कुल राशि (सभी करों सहित)
1	रिकोर्डिंग स्टूडियो की स्थापना	

हस्ताक्षर निविदादाता मय मोहर

N



**Pandit Deen Dayal Upadhyaya Shekhawati
University, Sikar**

TECHNICAL SPECIFICATION

FOR

**Setting up Audio Recording & Production Studio
at**

**Pandit Deen Dayal Upadhyaya Shekhawati
University, Sikar**

RAJASTHAN

N

TECHNICAL SPECIFICATION

FOR

Setting up an Audio Recording & Production Studio

SECTION-I: GENERAL

1. Background & Objective of Project


- 1.1 Pandit Deen Dayal Upadhyaya Shekhawati University has planned to setup Audio Recording & Production studio in PDDU Campus
- 1.2 Under this project, ONSITE supply, installation, Testing, Commissioning & training to be done at university premises.
- 1.3 Detailed List of equipment & technical specification has been provided in this document.
- 1.4 All the equipment shall be provided as per technical specification which are given below.

2. Scope of Project

- 2.1 The Scope of this tender is for ONSITE supply, installation, Testing, Commissioning & training as per technical specification mentioned below.
- 2.2 All the required cables, connectors, patch cords etc. required for making the system fully functional will be supplied by the Bidder.
- 2.3 In case, system have any non-standard connectors (other than XLR, D Type & Ethernet), necessary mating connectors shall be provided.

3. Documents to be submitted with Tender Document

The Bidder must submit the following documents along with the tender:

- 3.1 A Clause-by-clause full compliance statement in respect to specifications of Console, Audio Monitors, Microphone and Headphone from the OEM of the offered system.
 - 3.2 In addition to above, a separate point by point compliance statement duly signed by the bidder in respect of all the points laid down in the specifications for all the equipment/item(s) should also be submitted along with the bid by the bidder.
- 

3.3 Detailed printed literature of Equipment giving complete details of features and performance data on non-returnable basis to facilitate the technical evaluation.

3.4 Warranty Certificate for the One year from the date of SITC supply of Equipment at University premises.

3.5 BID Specific Authorization certificate from OEM in respect to specifications of Console, Audio Monitors, Microphone and Headphone from the OEM of the offered system.

3.6 The bidder must have an experience of renowned university and work done for the complete project on SITC basis including training mainly from any part of the state in Rajasthan.

3.6 The BID, without above documents shall be treated as incomplete and liable to reject without any further information to bidder.

4. Tender Evaluation

4.1 The tender shall be technically evaluated on the basis of conformity of bid to Technical specifications.

4.2 Technical evaluation shall be done on the basis of compliance statement, customer reference certificates, technical specification related to quoted products.

4.3 The bids which will fully meet technical specifications shall be considered technically fit.

5. INSTRUCTION MANUAL

One set of Maintenance/operational manuals of each hardware from OEM should be provided to the University.

6. Warranty & Maintenance

6.1 The Equipment shall be warranted for trouble free operation for a minimum period of one year from the date of Supply.

6.2 In case of failure of any equipment or its sub module, the Bidder will send a replacement part to station. The station will replace the faulty part and test the whole equipment. The faulty part shall be sent back to bidder at bidder's cost after rectification of fault.

6.3 However, if it is not possible to rectify the fault remotely or by replacement of module, Onsite support for Replacement / servicing / debugging of software/ reinstallation/ reconfiguring of software etc. should be provided by bidder free of cost.

6.4 No separate charges will be paid for visit of engineers for attending to faults and repairs or supply of spare parts



SECTION-II: BILL OF MATERIAL

Sr. No.	Descriptions	Qty
1	8 faders Analog Audio Console	1
2	Monitor, 50 W Studio Monitor	1 Pair
3	Professional Microphone with Arm Stand	2
4	ONAIR Light	1
5	Workstation PC Set	1
6	Professional Soundcard	1
7	Professional Closed Back Headphones	2
8	Playout & Editing Software	1
9	Handy Recorder	4
10	FM Radio Receiver	7
11	Vacuum Cleaner	1
12	Air purifier	1
13	Installation Materials	1
14	Installation Charges	1
15	Testing Charges	1
16	Configuration Charges	1
17	Training Charges	1
18	Acoustic works	1
19	Technical Furniture & Misc civil works	1

SECTION-III: TECHNICAL SPECIFICATIONS

1. Analog Audio Console: Specification of 8 Channel Audio Console:

- I. The control surface of the offered Audio Mixer should be compact ergonomically designed for a complex live broadcast environment providing complete operational ease to the operator. Layout of modules/ parts/ components in the console should permit easy access to wiring, inspection, repairs/servicing.
- II. The console should be totally self contained unit and should not require aid of any external computer/laptop for normal operations. Various operational features like channel Fader, phantom On/Off, EQ, Gain etc. shall essentially be available on the console surface.
- III. The offered mixer should have excellent frequency response, low Total Harmonic Distortion and high S/N ratio
- IV. The control surface of the offered Audio Mixer should have at least 12 numbers of faders. 10 faders should be optimized for input channel, 2 Fader should be optimized for master faders.



- V. The control surface should have 60 mm faders of reputed make.
- VI. The Console should have at least effect/reverb control of Lexicon grade.
- VII. The Console should have 4 bands Equalizer.
- VIII. The Console should have 1 Stereo insert facilities.
- IX. The offered Audio Mixer should have following Inputs/Outputs (I/Os):
 - 8 mono Mic/Line inputs on XLR & TRS with switchable 48V phantom power
 - 2 Stereo Line inputs.
 - 1 Stereo Master Output
 - 1 Stereo return
 - 1 Stereo Monitoring Output
 - 1 Headphones output

SPECIFICATIONS:

Sr. No.	Technical Parameter	Parameter Values
(a)	Mic / Line In to any Output:	: +/-1.5dB, 20Hz-20kHz
(b)	T.H.D.	: Mic Sensitivity -30dBu < 0.02% @ 1kHz
(c)	Noise	: Residual noise -85dBu
(d)	Mic Input E.I.N. 22Hz - 22kHz, Unweighted.	: 127dBu
(e)	Crosstalk (@ 1kHz)	: <96dB
(f)	Mic Gain	: 5dB – 60dB
(g)	Line Trim	: 15dB
(h)	Input & Output Levels	: Mic Input +15dBu max, Mix Output +20dBu max
(i)	Mic Impedances	: 2kΩ
(j)	Line Input Impedance	: 10KΩ

2. Studio Monitor: Specification for Studio Monitor:

- a) The offered equipment should be from a reputed manufacturer and the quoted model should be field proven and in use by leading broadcasters. The bidder should essentially submit the list of the broadcasters to whom the quoted model has been supplied. The tender without proper user list shall liable to be rejected out rightly.
- b) The offered Amplispeaker should have excellent performance features like "flat frequency response", "carefully controlled roll off", and "very low distortion" etc.
- c) The offered Amplispeaker should have "high sound pressure level" across the whole frequency spectrum.
- d) The offered Amplispeaker should have two-way speaker system consisting of a woofer and a tweeter. It should be bi-amplified active monitor system.
- e) The offered Amplispeaker should have a Volume control potentiometer provided for adjusting the monitoring level.
- f) The offered Amplispeaker should be suitable for horizontal and vertical mounting.

- g) The offered Amplispeaker should be capable of wall and stand mounting.
- h) The offered Amplispeaker should accept balanced analog audio on 3-pin XLR female & TRS connector.
- i) The offered Amplispeaker should have proper magnetic shielding to avoid the interference when used in close proximity to other audio & video systems.
- j) The offered Amplispeaker should have high efficiency durable power amplifiers for long duration use.
- k) The offered Amplispeaker should have excellent dispersion to provide extremely accurate reference.
- l) The offered Amplispeaker should have input sensitivity of +4dB & -10 dBu.
- m) The offered Amplispeaker should have Boundary eq controls & HF Trim Controls.

TECHNICAL SPECIFICATIONS:

a	Frequency Range	49Hz – 20kHz
b	Max SPL Continuous	> 94 dB
c	Max SPL Peak	> 108 dB
d	Input Sensitivity	92 dB SPL / 1m
e	LF Driver	5 inch
f	HF Driver	1 inch
g	BOUNDARY EQ	LF Shelf @ 50Hz: -3dB, -1.5dB, 0dB
h	HF trim	-2dB, 0dB, +2dB
i	Connector	Balanced XLR, 1/4" TRS
j	Amplifier Power	LF/HF: 41 W / 41 W
k	Crossover Frequency	1725 Hz 4th order acoustic Linkwitz-Riley
l	Enclosure	15mm MDF
l	Dimensions (H x W x D)	298 x 185 x 231 mm
m	Weight	≤ 5 kg

3. Microphone with Arm Stand:

- a. Audio frequency bandwidth 40 - 20000 Hz
- b. Sensitivity 2.5 mV/Pa
- c. Electrical impedance 600 Ohms
- d. Recommended load impedance 2000 Ohms
- e. Polar Pattern Cardioid

Bidder shall provide ARM Stand in Transmission Studio & for Announcer & Table top Stands shall be provided in Discussion/Backup Studio.

4. ONAIR Light:

ONAIR Light should have clear indication of "ONAIR" character with built-in 230 V LED Lamp along with 12 Volt Relay. Light should run in Manual mode or Auto Mode according to Signal provided.

5. Workstation PC:

Processor: Intel® Core™ i5-13500 (up to 4.8 GHz with Intel® Turbo Boost Technology, 24 MB L3 cache, 14 cores

RAM: 8 GB



Storage: 512 GB SSD or higher

Monitor: 24 Inch

Accessories: Keyboard & Mouse

6. Professional Sound Card:

- a. 1 analog stereo input on XLR for MIC/LINE
- b. 1 output on TRS
- c. 1 Headphone out
- d. 1 USB port
- e. Premium Mic Preamps
- f. 48V Phantom Power support
- g. 24bit/192kHz High Fidelity Recording

7. Headphones:

- a. The offered equipment should be from a reputed manufacturer and the quoted model should be field proven and in use by leading broadcasters. The bidder should essentially submit the list of the broadcasters to whom the quoted model has been supplied. The tender without proper user list shall liable to be rejected out rightly.
- b. The offered Headphone should have excellent performance features like "flat frequency response", "carefully controlled roll off", and "very low distortion" etc.
- c. The offered Headphone should have "high sound pressure level" across the whole frequency spectrum.
- d. The offered Headphone should accept balanced analog audio on 6.3 mm TRS Jack & 3.5 mm Jack.
- e. The offered Headphone should have proper magnetic shielding to avoid the interference when used in close proximity to other audio & video systems.



- f. The offered Headphone should have high efficiency durable diaphragms for long duration use.

A. TECHNICAL SPECIFICATIONS:

a	Type	Closed Back
b	Driver size	40 mm
c	Sensitivity (dB SPL/V @ 1 kHz)	112 dB
d	impedance	32 Ohm or less
e	frequency bandwidth	16 Hz to 20 Khz
f	Maximum input power	200 mW or better
g	Weight	200 gram or less
h	Cable Length	3 Meter
i	Wearing Style	Over Ear
j	Earpads	Replaceable

8. Playout & Editing Software:

Bidder shall provide Professional Audio Editing & Recording software

9. Handy Recorder:

- Hardware Interface USB
- Microphone Form Factor Built-In
- Format WAV
- Headphones Jack No headphones jack
- Number of Batteries 2 AAA batteries required. (included)
- Sleek body with matte finish and newly designed mic protector/cage
- 1.25" monochrome LCD display and one-touch button controls
- Localized and intuitive menus for easy operation
- Handles up to 120 dB SPL for distortion-free recording
- Built-in stereo condenser microphones in 90° X/Y stereo format

10. Portable Radio with MW, SW & FM Band:

- Special Feature Portable, Lightweight, Built-In AM Antenna
- Product Dimensions 30.3L x 17.8W x 13.4H Centimeters
- Tuner Technology FM
- Style Classic
- Multiple Bands for Versatile Listening: Receive signals from MW, SW & FM, making it a Philips radio with extensive range for all your radio needs
- FM Radio for Home with Speaker: Experience loud and clear sound with 500mW RMS output and a high-quality 4-inch round loudspeaker
- Portable FM Radio: Enjoy radio FM for home or on-the-go with its compact design and easy-to-use functionality, perfect for any environment
- Flexible Power Options Powered by 3xR20 batteries (4.5V DC) or through an external DC socket, providing convenience for various usage scenarios



11. Vacuum Cleaner:

- Special Feature Wheel, Lightweight, Compact, Bagless
- Filter Type Cloth
- Surface Recommendation All floors
- Power Source Corded Electric
- Voltage 1900 Volts
- 1900-WATT DURABLE MOTOR: Durable 1900W motor generates up to 370W of high suction power for thorough cleaning results
- POWERCYCLONE 5 TECHNOLOGY: PowerCyclone 5 technology accelerates the air flow in the cylindrical chamber to separate dust from the air and maintain high performance and strong suction power for longer
- MULTICLEAN NOZZLE: MultiClean nozzle is designed to seal closely to the floor to ensure thorough cleaning across all floor types
- HYGIENIC DUST DISPOSAL: Easy-to-empty dust container is designed for hygienic disposal with one hand, to help minimize dust cloud
- COMPACT AND LIGHTWEIGHT: Compact and lightweight design ensure both storing and carrying the vacuum is easy
- INTEGRATED BRUSH: Dusting brush tool is built into the handle so it's always ready to use on furniture, flat surfaces and upholstery
- ALLERGY H13 FILTER: The fully-sealed filtration system captures >99.9% of fine dust particles - including pollen, pet hair and dust mites - for allergy sufferers and anyone demanding a higher level of hygiene
- ACTIVELOCK COUPLINGS: ActiveLock couplings allow attachments to easily fit to the telescopic tube with a simple snap
- TURBO BRUSH: The rotating Turbo brush is designed for optimal cleaning of pet hair and fluff, opening up carpet fibers for a deeper clean
- PLUG : 16 A Plug Size

12. Air Purifier:

- Product Dimensions 23.8D x 24W x 36.4H Centimeters
- Power Source Corded Electric
- Item Weight 2.5 Kilograms
- Control Method Touch
- Large coverage of up to 36 m²(380 sqft), it purifies a standard room in just 12 minutes with a CADR of 250 m³/h (Standard room size is 18 ft by 12 ft with an 8 ft ceiling height)
- 2-LAYER HEPA FILTRATION: Captures 99.97% of particles up to 0.003 microns (PM0.003)– to protect from pollen, dust, pet dander, smog and viruses. The Philips NanoProtect HEPA filter can clean up to 2x more air than traditional HEPA H13 filtration
- 360° PROTECTION: Scans the air 1000x per second and intelligently chooses the right speed while displaying real time AQI on the air quality monitor with 360° air suction
- QUIET AND EFFICIENT. In sleep mode, it runs at only 20.5 dB. Energy- efficient, it uses up to 21W to purify the air, less than a traditional light bulb, making it the ideal air purifier
- COMPACT & PORTABLE DESIGN: The AC0920 air purifier comes with a display panel on top, 360° suction on the bottom and an air outlet on the top to ensure effective pure air circulation and ease of operation, making it the ideal personal air purifier

N

13. Installation Materials:

Bidder shall provide required installation materials as per Bill of materials mentioned in this document

14. Installation:

15. Testing:

16. Configuration:

17. Training

18. Acoustic works

19. Technical Furniture & Misc works

Successful Bidder shall carry out the onsite Installation, Testing, Configuration, Training, Acoustic works & Technical Furniture & Misc works of all equipment in professional manner & provide Operation and Maintenance training to concern PDDU staffs.

N

सत्यनिष्ठा की संहिता

उपापन प्रक्रिया में भाग लेने वाला कोई भी व्यक्ति, —

- (क) उपापन प्रक्रिया में अनुचित फायदे के लिए या अन्यथा उपापन प्रक्रिया को प्रभावित करने की एवज में किसी रिश्ते, इनाम या दान या प्रत्यक्ष रूप से या अप्रत्यक्ष रूप से किसी तात्त्विक फायदे का कोई प्रस्ताव नहीं करेगा;
- (ख) सूचना का ऐसा दुर्व्यपदेशन या लोप नहीं करेगा जो किसी वित्तीय या अन्य फायदा अभिप्राप्त करने के लिए या किसी बाध्यता से प्रविरत रहने के लिए गुमराह करता हो या गुमराह करने का प्रयास करता हो;
- (ग) उपापन प्रक्रिया की पारदर्शिता, निष्पक्षता और प्रगति को बाधित करने के लिए किसी भी दुरभिसंधि, बोली में कूट मूल्य वृद्धि या प्रतियोगिता विरोधी आचरण में लिप्त नहीं होगा;
- (घ) उपापन संस्था और बोली लगाने वालों के बीच साझा की गयी किसी भी जानकारी का उपापन प्रक्रिया में अनुचित लाभ प्राप्त करने के आशय से दुरुपयोग नहीं करेगा;
- (ङ) उपापन प्रक्रिया को प्रभावित करने के लिए किसी भी पक्षकार को या उसकी सम्पत्ति को प्रत्यक्ष या अप्रत्यक्ष रूप से क्षति या नुकसान पहुंचाने, ऐसा करने के लिए धमकाने सहित किसी भी प्रपीडन में लिप्त नहीं होगा;
- (च) उपापन प्रक्रिया के किसी भी अन्वेषण या लेखापरीक्षा में बाधा नहीं डालेगा;
- (छ) हित का विरोध, यदि कोई हो, प्रकट करेगा;
- (ज) पिछले तीन वर्षों के दौरान भारत या किसी अन्य देश में किसी भी संस्था के साथ किसी पूर्व नियमभंग को या किसी अन्य उपापन संस्था द्वारा किसी विवर्जन को प्रकट करेगा; हित का विरोध

हित का विरोध

कोई बोली लगाने वाला किसी उपापन प्रक्रिया में एक या अधिक पक्षकारों के साथ हित के विरोध में माना जायेगा जिसमें निम्नलिखित स्थितियां सम्मिलित हैं किन्तु इन तक सीमित नहीं है यदि,—

- (क) उनके समान नियंत्रक भागीदार है;
- (ख) वे उनमें से किसी से, कोई भी प्रत्यक्ष या अप्रत्यक्ष सहायिकी प्राप्त करते हैं या प्राप्त की है;
- (ग) उनका उस बोली के प्रयोजनों के लिए एक ही विधिक प्रतिनिधि है ;
- (घ) उनका प्रत्यक्ष रूप से या समान तृतीय पक्षकारों के मार्फत एक दूसरे के साथ ऐसा संबंध है जो दूसरे की बोली के बारे में सूचना तक पहुंचने या दूसरे की बोली पर प्रभाव डालने की स्थिति रखता हो;
- (ङ) कोई बोली लगाने वाला एक ही बोली प्रक्रिया में एक से अधिक बोली में भाग लेता है। तथापि, यह एक ही उपसंविदाकार को एक से अधिक बोली में सम्मिलित होने से सीमित नहीं करता है जो बोली लगाने वाले के रूप में अन्यथा भाग नहीं लेता है;

- (च) बोली लगाने वाले या उससे सहबद्ध किन्हीं व्यक्तियों ने बोली प्रक्रिया के उपापन की विषयवस्तु के डिजाइन या तकनीकी विनिर्देशों को तैयार करने में सलाहकार के रूप में भाग लिया है। सभी बोली लगाने वाले अर्हता कसौटी और बोली प्ररूपों में यह विवरण उपलब्ध करायेंगे कि बोली लगाने वाला उस सलाहकार या किसी भी अन्य संस्था, जिसने उपापन की विषयवस्तु के लिए डिजाईन, विनिर्देश और अन्य दस्तावेज तैयार किये हैं, के साथ प्रत्यक्ष या अप्रत्यक्ष रूप में न तो संबद्ध है और नहीं संबद्ध रहा है या संविदा के लिए परियोजना प्रबन्धक के रूप में प्रस्तावित किया जा रहा है।

निविदादाता के हस्ताक्षर



निविदादाता द्वारा दिया जाने वाला घोषणा पत्र

आप द्वारा आमंत्रित निविदा क्रमांक.....दिनांक.....के तहत मेरे/हमारे द्वारा प्रस्तुत निविदा के संदर्भ में हम राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 के खंड 7 के अंतर्गत यह घोषणा करते हैं कि

01. मैं/हम निविदा दस्तावेजों के अनुसार वांछित अनुभव, तकनीकी, वित्तीय, प्रबंधकीय संसाधन की सक्षमता रखते हैं ।
02. मैं/हम निविदा अनुसार केन्द्र/राज्य सरकार/अन्य स्थानीय अधिकार को कर चुकाने बाबत दायित्व लेते हैं ।
03. मैं/हम ना ही दिवालिया घोषित किया गया है, तथा ना ही मेरी/हमारी फर्म के विरुद्ध न्यायालय/न्यायिक अधिकारी द्वारा कोई वैधानिक कार्यवाही प्रक्रियाधीन है ।
04. मैं/हम तथा हमारे निदेशक/अधिकारियों द्वारा निविदा प्रक्रिया के दौरान गत तीन वर्षों में किसी प्रकार का कोई अपराध संबंधी मामला दर्ज नहीं है तथा किसी भी निविदा प्रक्रिया से निष्कासित नहीं किया गया है ।
05. मैं/हमारे द्वारा अधिनियम, नियमों के संदर्भ में किसी प्रकार के हित का कोई विरोध नहीं है जो कि उचित प्रतियोगिता को प्रभावित करता हो ।

स्थान :

तारीख :

निविदादाता के हस्ताक्षर



निविदा प्रक्रिया के दौरान शिकायत निवारण

प्रथम अपील अधिकारी का पद एवं पता.....कुलसचिव पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर

द्वितीय अपील अधिकारी का पद एवं पता.....कुलपति पंडित दीनदयाल उपाध्याय शेखावाटी विश्वविद्यालय, सीकर

1. यदि कोई बोली लगाने वाला या भावी बोली लगाने वाला इस बात से व्यथित है कि उपापन संस्था कोई निर्णय, कार्यवाही या लोप इस अधिनियम या इसके अधीन जारी नियमों या मार्गदर्शनों के उपबंधों के उल्लंघन में है तो वह उपापन संस्था के ऐसे अधिकारी को, जिसे इस प्रयोजन के लिये पदभिहित किये जाये, विनिर्दिष्ट आधार, जिस पर या जिन पर वह व्यथित है, स्पष्ट रूप से देते हुये, ऐसे विनिश्चय या कार्यवाही या, यथास्थिति, लोप की तारीख से 10 दिन की अवधि या ऐसी अन्य अवधि, जो पूर्व -अर्हता दस्तावेजों या बोली लगाने वाले के रजिस्ट्रीकरण दस्तावेजों या बोली दस्तावेजों में विनिर्दिष्ट की जाये, के भीतर अपील दाखिल कर सकेगा:

परन्तु धारा 27 के निबन्धनों में बोली लगाने वाले के सफल होने की घोषणा के पश्चात अपील केवल उस बोली लगाने वाले द्वारा दाखिल की जा सकेगी जिसने उपापन कार्यवाहियों में भाग लिया है:

परन्तु यह और की ऐसी दशा में उपापन संस्था वित्तिय बोली को खोलन से पूर्व तकनीकी बोली का मुल्यांकन करती है, वहा वित्तिय बोली के मामले से संबंधित अपील केवल उस बोली लगाने वाले के द्वारा दाखिल की जा सकेगी जिसकी तकनीकी बोली स्वीकार्य होने वाली पायी जाती है ।

1. अधिकारी, जिसके समक्ष उपधारा - 1 के अधीन अपील दाखिल की गयी, है अपील पर यथासंभव शीघ्र विचार करेगा और अपील दाखिल करनी की तारीख से 30 दिवस के भीतर इसे निपटाने का प्रयास करेगा ।
2. यदि उपधारा 01 के अधीन पदभिहित अधिकारी उपधारा 3 में विनिर्दिष्ट अवधि के भीतर उक्त उपधारा के अधीन दाखिल अपील को निपटाने में असफल हो जाता है या यदि बोली लगाने वाला या भावी बोली लगाने वाला या उपापन संस्था उपधारा 2 के अधीन पारित आदेश से व्यथित है तो बोली लगाने वाला या, या भावी बोली लगाने वाला या यथास्थिति उपापन संस्था, उपधारा 3 में विनिर्दिष्ट अवधि के आवासन से या, यथास्थिति उपधारा 2 के अधीन पारित आदेश की प्राप्ति की तारीख से 15 दिवस के भीतर राज्य सरकार द्वारा इस निमित्त पदभिहित किसी अधिकारी या प्राधिकारी को द्वितीय अपील दाखिल कर सकेगा ।
3. धारा 38 के अधीन उपापन संस्था के निम्नलिखित मामलो से संबंधित किसी विनिश्चय के विद्वध कोई अपील नहीं होगा ।

अर्थात:

क. उपापन की आवश्यकता का अवधारण

ख. बोली प्रक्रिया में बोली लगाने वालों के भाग लेने को सीमित करने वाले उपबंध

ग. यह विनिश्चय की निबंधनों में बातचीत की जाये या नहीं

घ. निबन्धनों में उपापन प्रक्रिया का रद्दकरण

ड. गोपनीयता के उपबंधों का लागू होना ।

4. **अपील का प्रारूप.**— (1) धारा 38 की उप-धारा (1) या (4) के अधीन कोई अपील प्ररूप में उतनी प्रतियों के साथ होगी जितने कि अपील में प्रत्यर्थी हैं ।

(2) प्रत्येक अपील उस आदेश, जिसके विरुद्ध अपील की गयी है, यदि कोई हो, अपील में कथित तथ्यों को सत्यापित करने वाले शपथ पत्र और फीस के संदाय के सबूत के साथ होगी।

(3) प्रत्येक अपील प्रथम अपील प्राधिकारी या, यथास्थिति, द्वितीय अपील प्राधिकारी को व्यक्तिशः या रजिस्ट्रीकृत डाक द्वारा या प्राधिकृत प्रतिनिधि के माध्यम से प्रस्तुत की जा सकेगी।

5. अपील फाइल करने के लिए फीस.-

(1) प्रथम अपील के लिए फीस दो हजार पांच सौ रुपये और द्वितीय अपील के लिए दस हजार रुपये होगी जो अप्रतिदेय होगी।

(2) फीस का संदाय किसी अधिसूचित बैंक के बैंक मांगदेय ड्राफ्ट या बैंकर चैक के रूप में किया जायेगा जो संबंधित अपील प्राधिकारी के नाम देय होगा।

6. अपील के निपटारे की प्रक्रिया.-

(1) प्रथम अपील प्राधिकारी या, यथास्थिति, द्वितीय अपील प्राधिकारी अपील फाइल किये जाने पर प्रत्यर्थी को अपील, शपथ पत्र और दस्तावेजों, यदि कोई हो, की प्रति के साथ नोटिस जारी करेगा और सुनवाई की तारीख नियत करेगा।

(2) सुनवाई के लिए नियत तारीख को प्रथम अपील प्राधिकारी या, यथास्थिति, द्वितीय अपील प्राधिकारी,-

(क) उसके समक्ष उपस्थित अपील के समस्त पक्षकारों की सुनवाई करेगा; और

(ख) मामले से संबंधित दस्तावेजों, सुसंगत अभिलेख या उनकी प्रतियों का अवलोकन या निरीक्षण करेगा।

(3) पक्षकारों की सुनवाई, मामले से संबंधित दस्तावेजों, सुसंगत अभिलेख या उनकी प्रतियों के अवलोकन या निरीक्षण के पश्चात्, संबंधित अपील प्राधिकारी लिखित में आदेश जारी करेगा और अपील के पक्षकारों को उक्त आदेश की प्रति निःशुल्क उपलब्ध करायेगा।

(4) उप नियम (3) के अधीन पारित आदेश राज्य लोक उपापन पोर्टल पर भी दर्शित किया जायेगा।

निविदादाता के हस्ताक्षर

प्ररूप सं. 1

(नियम 83 देखिए)

राजस्थान लोक उपापन में पारदर्शिता अधिनियम, 2012 के अधीन अपील

का ज्ञापन

..... की अपील सं.

(प्रथम/द्वितीय अपील प्राधिकारी) के समक्ष

1. अपीलार्थी की विशिष्टियां :

(i) अपीलार्थी का नाम :

(ii) कार्यालय का पता, यदि कोई हो :

(iii) आवासिक पता :

2. प्रत्यर्थी (प्रत्यर्थियों) का नाम और पता :

(i)

(ii) .

(iii)

3. आदेश का संख्यांक और तारीख जिसके

विरुद्ध अपील की गयी है और

अधिकारी/प्राधिकारी का नाम और पदनाम,

जिसने आदेश पारित किया है, (प्रतिलिपि

संलग्न करें) या अधिनियम के उपबंधों के

उल्लंघन में उपापन संस्था के किसी

विनिश्चय, कार्य या लोप का विवरण जिससे

अपीलार्थी व्यथित है :

4. यदि अपीलार्थी किसी प्रतिनिधि द्वारा

प्रतिनिधित्व किये जाने के लिए प्रस्ताव करता

है तो प्रतिनिधि का नाम और डाक का पता :

N

5. अपील के साथ संलग्न किये गये शपथपत्रों

और दस्तावेजों की संख्या :

6. अपील का आधार :

.....
.....
.....

. (शपथपत्र द्वारा समर्थित)

भाग 4 (ग) राजस्थान राज-पत्र, जनवरी 24, 2013 155(69)

7. प्रार्थना :

.....
.....

स्थान :

तारीख :

अपीलार्थी के हस्ताक्षर



निविदा की अतिरिक्त शर्तें

1. वित्तीय बोलियों में अंकगणितीय त्रुटियों का सुधार

बोली मूल्यांकन समिति निम्नलिखित आधार पर, सारभूत रूप से प्रत्युत्तरदायी बोलियों में अंकगणितीय त्रुटियों का सुधार करेगी, अर्थात् :-

(क) इकाई मूल्य और कुल मूल्य, जो इकाई मूल्य और मात्रा को गुणा करने पर प्राप्त होता है के मध्य यदि कोई विसंगति हो तो इकाई मूल्य अभिभावी होगा और कुल मूल्य में सुधार किया जायेगा, जब तक कि बोली मूल्यांकन समिति की राय में इकाई मूल्य में दशमलव बिन्दु की स्थिति में स्पष्ट गलती रह गयी है, ऐसे मामले में उत्कथित कुल मूल्य प्रभावी होगा और इकाई मूल्य में सुधार किया जायेगा ;

(ख) यदि योग के घटकों को जोड़ने या घटाने के कारण योग में त्रुटि रह गयी है तो घटक अभिभावी होंगे योग में सुधार किया जायेगा ; और

(ग) यदि शब्दों और अंकों के मध्य कोई विसंगति है तो शब्दों में व्यक्त की गयी रकम तब तक अभिभावी होगी जब तक कि शब्दों में अभिव्यक्त रकम कोई अंकगणितीय त्रुटि से संबंधित न हो, ऐसे मामले में उपर्युक्त खण्ड (क) और (ख) के अध्यक्षीन रहते हुए अंकों में अभिव्यक्त रकम अभिभावी होगी।

2. किसी या समस्त बोलियों को स्वीकार या अस्वीकार करने का उपापन संस्था का अधिकार.— उपापन संस्था बोली लगाने वालों के प्रति किसी उत्तरदायित्व को उपगत किये बिना, किसी बोली को स्वीकार या अस्वीकार करने, और बोली प्रक्रिया को रद्द करने और संविदा के अधिनिर्णय से पूर्व किसी भी समय, समस्त बोलियों को अस्वीकार करने का अधिकार सुरक्षित रखती है। ऐसा करने के कारण लेखबद्ध किये जायेंगे।

परिमाण में परिवर्तन का अधिकार.—

(1) संविदा के अधिनिर्णय के समय, बोली दस्तावेजों में मूलतः विनिर्दिष्ट माल, संकर्मों या सेवाओं के परिमाण में बढ़ोतरी की जा सकेगी, किन्तु ऐसी बढ़ोतरी बोली दस्तावेजों में विनिर्दिष्ट परिमाण के बीस प्रतिशत से अधिक नहीं होगी। यह बोली और बोली दस्तावेजों के इकाई मूल्यों या अन्य निबंधनों और शर्तों में किसी परिवर्तन के बिना होगी।

(2) यदि उपापन संस्था परिस्थितियों में परिवर्तन के कारण उपापन की कोई विषयवस्तु उपाप्त नहीं करती है या बोली दस्तावेजों में विनिर्दिष्ट परिमाण से कम उपाप्त करती है तो बोली लगाने वाला बोली दस्तावेजों में अन्यथा उपबंधित के सिवाय, किसी भी दावे या प्रतिकर का हकदार नहीं होगा।

(3) अतिरिक्त मदों या अतिरिक्त परिमाणों के लिए पुनरादेश, यदि यह बोली दस्तावेजों में उपबंधित हो,



संविदा में दी गयी दरों और शर्तों पर दिये जा सकेंगे यदि मूल आदेश खुली प्रतियोगी बोलियां आमंत्रित करने के पश्चात् दिया गया था। प्रदाय या पूर्ण होने की कालावधि भी आनुपातिक रूप से बढ़ायी जा सकेगी। पुनरादेश की सीमाएं निम्नलिखित होंगी –

(क) संकर्मों की दशा में व्यक्तिगत मदों की मात्रा का 50 प्रतिशत और मूल संविदा के मूल्य का 20 प्रतिशत और

(ख) मूल संविदा के माल या सेवाओं के मूल्य का 25 प्रतिशत।

3. अधिनिर्णय के समय एक से अधिक बोली लगाने वालों के बीच परिमाणों का विभाजन.–

सामान्य नियम के रूप में उपापन की विषयवस्तु के समस्त परिमाण उस बोली लगाने वाले से उपाप्त किये जायेंगे जिसकी बोली स्वीकार की गयी है। तथापि, जब यह समझा जाये कि उपाप्त की जाने वाली उपापन की विषयवस्तु का परिमाण बहुत अधिक हैं और इस सम्पूर्ण परिमाण का प्रदाय करना उस बोली लगाने वाले की क्षमता में नहीं हो सकेगा जिसकी बोली स्वीकार की गयी है या जब यह समझा जाये कि उपाप्त की जाने वाली उपापन की विषयवस्तु गम्भीर और महत्वपूर्ण प्रकृति की है तो ऐसे मामलों में परिमाण को उस बोली लगाने वाले, जिसकी बोली स्वीकार की गयी है और द्वितीय निम्नतम बोली लगाने वाले या उसी क्रम में और भी बोली लगाने वालों के बीच, उस बोली लगाने वाले की दरों पर, जिसकी बोली स्वीकार की गयी है, ऋजु, पारदर्शी और साम्यापूर्ण रीति से विभाजित किया जा सकेगा, यदि ऐसी शर्त बोली दस्तावेजों में विनिर्दिष्ट है। स्वीकार्य कीमत पर पहुंचने के लिए प्रथम निम्नतम बोली लगाने वाले (एल 1) को किया गया प्रति-प्रस्ताव बातचीत के समान होगा। तथापि, परिमाणों के विभाजन की दशा में, जैसा बोली दस्तावेजों में पहले से प्रकट किया गया हो, तत्पश्चात् द्वितीय निम्नतम बोली लगाने वाले (एल 2), तीसरे निम्नतम बोली लगाने वाले (एल 3) इत्यादि (एल 1 द्वारा स्वीकार की गयी दरों पर) को किया गया प्रति-प्रस्ताव बातचीत नहीं समझा जायेगा।

निविदादाता के हस्ताक्षर मय सील